

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
At: Atkins-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Low adsorption	1.00	Flooding	0.60	Too acid	1.00
		Seepage	1.00			Flooding	0.60
		Too acid	1.00				
BwF: Berks-----	60	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
Weikert-----	30	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
Other Soils-----	10	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CaC: Cateache-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaD: Cateache-----	100	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
CbC: Cateache-----	50	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
Berks-----	35	Seepage	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
Other Soils-----	15	Seepage	1.00			Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Low adsorption	1.00			Too acid	0.99
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
CbC3: Cateache-----	50	Seepage	1.00			Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Low adsorption	1.00			Too acid	0.99
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
Berks-----	30	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
Other Soils-----	20	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CbD: Cateache-----	50	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
Berks-----	35	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
Other Soils-----	15	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CbD3: Cateache-----	55	Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
Berks-----	25	Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
Other Soils-----	20	Seepage	1.00	Very limited Slope	1.00	Too steep for sprinkler application	1.00
		Very limited Too steep for surface application	1.00			Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
CbF: Cateache-----	60	Seepage	1.00	Very limited Slope	1.00	Too steep for sprinkler application	1.00
		Very limited Depth to bedrock	1.00			Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00			Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Berks-----	20	Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Other Soils-----	20	Too acid	0.99			Too acid	0.99
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CbF3: Cateache-----	60	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
Berks-----	20	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
Other Soils-----	20	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CkD: Cateache-----	50	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
Berks-----	35	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
Other Soils-----	15	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CkF: Cateache-----	60	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Berks-----	25	Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
Other Soils-----	15	Too acid	0.99			Too acid	0.99
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
ClD: Caneyville-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.31			Too acid	0.31
ClF: Caneyville-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.31			Too acid	0.31
Cm: Chagrin-----	95	Very limited		Very limited		Very limited	





Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Holly-----	5	Flooding	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Flooding	0.60
		Seepage	1.00	Flooding	0.60		
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CnD: Clymer-----	45	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid Depth to bedrock	1.00	Too acid	0.14	Too acid Depth to bedrock	1.00
Gilpin-----	40	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Other Soils-----	15	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CnF: Clymer-----	45	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Gilpin-----	35	Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Depth to bedrock	1.00			Depth to bedrock	1.00
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Other Soils-----	20	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CtC: Coolville-----	55	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too acid	0.99	Depth to bedrock	1.00	Too acid	0.99
		Depth to saturated zone	0.68	Slope	1.00	Restricted permeability	0.96
		Too steep for surface application	0.50	Too acid	0.14	Depth to saturated zone	0.68
Latham-----	25	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to saturated zone	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	0.99	Slope	1.00	Too acid	0.99

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Other Soils-----	20	Depth to saturated zone	0.95	Too acid	0.42	Depth to saturated zone	0.95
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CtD: Coolville-----	50	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid Depth to saturated zone	0.99 0.68	Depth to bedrock Too acid	1.00 0.14	Too acid Restricted permeability	0.99 0.96
Latham-----	30	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
Other Soils-----	20	Too acid	0.99	Too acid	0.42	Too acid	0.99
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
CuF: Culleoka-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DeC: Dekalb-----	100	Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.67			Too acid	0.67
		Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Cobble content	0.16	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	0.99			Filtering capacity	1.00
DeD: Dekalb-----	100	Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Cobble content	0.16	Too steep for surface application	1.00
		Low adsorption	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	0.99			Filtering capacity	1.00
DgD: Dekalb-----	30	Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Cobble content	0.26	Too steep for surface application	1.00
		Low adsorption	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	0.99			Filtering capacity	1.00
Gilpin-----	25	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Jefferson Stony-----	25	Too acid	1.00	Cobble content	0.03	Too acid	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Other Soils-----	20	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
DgF: Dekalb-----	35	Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Cobble content	0.26	Too steep for surface application	1.00
		Low adsorption	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
Gilpin-----	25	Too acid	0.99			Filtering capacity	1.00
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
Jefferson Stony-----	20	Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00	Cobble content	0.03	Too acid	1.00
		Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Other Soils-----	20	Very limited Too steep for surface application Low adsorption	1.00  1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00  1.00
DrF: Dekalb-----	50	Very limited Seepage Depth to bedrock Too steep for surface application Low adsorption  Too acid	1.00 1.00 1.00 1.00  0.99	Very limited Slope Depth to bedrock Cobble content  Too acid	1.00 1.00 0.26  0.14	Very limited Depth to bedrock Low adsorption Too steep for surface application Too steep for sprinkler application Filtering capacity	1.00 1.00 1.00 1.00  1.00
Rock Outcrop-----	35	Very limited Too steep for surface application Low adsorption  Seepage	1.00  1.00  1.00	Very limited Slope	1.00	Very limited Low adsorption  Too steep for surface application Too steep for sprinkler application	1.00  1.00 1.00
Other Soils-----	15	Very limited Too steep for surface application Low adsorption  Seepage	1.00  1.00  1.00	Very limited Slope	1.00	Very limited Low adsorption  Too steep for surface application Too steep for sprinkler application	1.00  1.00 1.00
ErB: Ernest-----	95	Very limited Low adsorption  Seepage  Depth to saturated zone Too acid	1.00  1.00  0.95 0.91	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.50	Very limited Low adsorption  Depth to saturated zone Too acid  Too steep for surface application	1.00  0.95 0.91  0.68

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Atkins-----	5					Restricted permeability	0.50
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
ErC: Ernest-----	95	Seepage	1.00			Too steep for sprinkler application	1.00
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
Atkins-----	5	Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
		Too acid	0.91			Too acid	0.91
		Very limited		Very limited		Very limited	
ErD: Ernest-----	100	Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
EuC: Ernest-----	40	Too acid	0.91			Too acid	0.91
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
		Too acid	0.91			Too acid	0.91
Atkins-----	30	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Buchanan Stony-----	30	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95			Restricted permeability	0.96
EuD: Ernest-----	40	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
		Too acid	0.91			Too acid	0.91
Buchanan Stony-----	35	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.95			Restricted permeability	0.96
Other Soils-----	25	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
FcD: Frederick-----	100	Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
FcF: Frederick-----	100	Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
FkC: Frederick-----	100	Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
FrC: Frederick-----	100	Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FrD: Frederick-----	100	Very limited Seepage Too steep for surface application Low adsorption  Too acid	1.00 1.00 1.00   0.91	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00   0.91
FrF: Frederick-----	100	Very limited Seepage Too steep for surface application Low adsorption  Too acid	1.00 1.00 1.00  0.91	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00   0.91
GaB: Gilpin-----	100	Very limited Depth to bedrock Low adsorption  Seepage Too acid	1.00 1.00  1.00 1.00	Very limited Depth to bedrock Restricted permeability Slope Too acid	1.00 1.00  0.50 0.14	Very limited Depth to bedrock Low adsorption  Too acid Too steep for surface application	1.00 1.00  1.00 0.68
GaC: Gilpin-----	100	Very limited Depth to bedrock Low adsorption Seepage  Too acid Too steep for surface application	1.00 1.00 1.00  1.00 1.00	Very limited Slope Depth to bedrock Restricted permeability Too acid	1.00 1.00 1.00  0.14	Very limited Depth to bedrock Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00  1.00 1.00
GaD: Gilpin-----	100	Very limited Depth to bedrock Too steep for surface application Low adsorption  Seepage  Too acid	1.00 1.00 1.00 1.00  1.00 1.00	Very limited Slope Depth to bedrock  Restricted permeability Too acid	1.00 1.00  1.00  0.14	Very limited Depth to bedrock Low adsorption  Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00  1.00  1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GbC: Gilpin-----	55	Very limited Depth to bedrock Low adsorption Seepage  Too acid Too steep for surface application	1.00 1.00 1.00  1.00 1.00	Very limited Slope Depth to bedrock Restricted permeability  Too acid Cobble content	1.00 1.00 1.00  0.14 0.01	Very limited Depth to bedrock Low adsorption Too steep for surface application  Too acid Too steep for sprinkler application	1.00 1.00 1.00  1.00 1.00
Berks-----	30	Very limited Depth to bedrock Low adsorption Seepage  Too steep for surface application Too acid	1.00 1.00 1.00  1.00 0.99	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.62	Very limited Depth to bedrock Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00  1.00 0.99
Other Soils-----	15	Very limited Too steep for surface application Low adsorption  Seepage	1.00 1.00  1.00	Very limited Slope	1.00	Very limited Low adsorption  Too steep for surface application Too steep for sprinkler application	1.00  1.00 1.00
GbC3: Gilpin-----	50	Very limited Depth to bedrock Low adsorption Seepage  Too acid Too steep for surface application	1.00 1.00 1.00  1.00 1.00	Very limited Slope Depth to bedrock Restricted permeability  Too acid Cobble content	1.00 1.00 1.00  0.14 0.01	Very limited Depth to bedrock Low adsorption Too steep for surface application  Too acid Too steep for sprinkler application	1.00 1.00 1.00  1.00 1.00
Berks-----	30	Very limited Depth to bedrock Low adsorption Seepage  Too steep for surface application Too acid	1.00 1.00 1.00  1.00 0.99	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.62	Very limited Depth to bedrock Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00  1.00 0.99
Other Soils-----	20	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
GbD: Gilpin-----	45	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00	Cobble content	0.01	Too acid	1.00
Berks-----	40	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
Other Soils-----	15	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
GbD3: Gilpin-----	45	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Berks-----	40	Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00	Cobble content	0.01	Too acid	1.00
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Other Soils-----	15	Too acid	0.99			Too acid	0.99
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
GbF: Berks-----	40	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
Gilpin-----	40	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00	Cobble content	0.01	Too acid	1.00
Other Soils-----	20	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GbF3: Berkshire-----	40	Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00			Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.99			Too acid	0.99
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00			Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Gilpin-----	40	Too acid	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Very limited Depth to bedrock	1.00	Cobble content	0.01	Too acid	1.00
		Too steep for surface application	1.00			Very limited Low adsorption	1.00
		Low adsorption	1.00	Very limited Slope	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Other Soils-----	20	Too steep for surface application	1.00	Very limited Slope	1.00	Too steep for surface application	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Very limited Seepage	1.00			Low adsorption	1.00
		Too steep for surface application	1.00			Too steep for surface application	1.00
JsD: Jefferson-----	100	Low adsorption	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Low adsorption	1.00			Too acid	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
JsF: Jefferson-----	100	Very limited Seepage Too steep for surface application Low adsorption  Too acid	1.00 1.00 1.00  1.00	Very limited Slope Restricted permeability	1.00 0.32	Very limited Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00  1.00
Ka: Kanawha-----	100	Very limited Seepage  Low adsorption Too acid Flooding	1.00 1.00 0.67 0.40	Very limited Restricted permeability	1.00	Very limited Low adsorption  Too acid	1.00 0.67
LdF: Lehew-----	60	Very limited Seepage Depth to bedrock Too steep for surface application Low adsorption  Too acid	1.00 1.00 1.00 1.00 1.00	Very limited Slope Depth to bedrock Cobble content	1.00 1.00 0.73	Very limited Depth to bedrock Low adsorption Too steep for surface application Too steep for sprinkler application Cobble content	1.00 1.00 1.00 1.00 1.00
Dekalb-----	25	Very limited Seepage Depth to bedrock Too steep for surface application Low adsorption  Too acid	1.00 1.00 1.00 1.00 0.99	Very limited Slope Depth to bedrock Cobble content  Too acid	1.00 1.00 0.33 0.14	Very limited Depth to bedrock Low adsorption Too steep for surface application Too steep for sprinkler application Filtering capacity	1.00 1.00 1.00 1.00 1.00
Other Soils-----	15	Very limited Too steep for surface application Low adsorption  Seepage	1.00 1.00 1.00	Very limited Slope	1.00	Very limited Low adsorption  Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00
LlB: Lily-----	100	Very limited Depth to bedrock Low adsorption	1.00 1.00	Very limited Depth to bedrock Restricted permeability	1.00 0.62	Very limited Depth to bedrock Low adsorption	1.00 1.00





Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00	Slope	0.12	Too steep for surface application	0.32
LlC: Lily-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	0.62	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
LlD: Lily-----	100	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.62	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Lo: Lobdell-----	95	Very limited		Very limited		Very limited	
		Flooding	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	0.68
		Seepage	1.00	Flooding	0.60	Flooding	0.60
		Depth to saturated zone	0.68			Too acid	0.07
		Too acid	0.07				
Holly-----	5	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
MgB: Monongahela-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MgC: Monongahela-----	100	Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Slope	0.50	Depth to saturated zone	0.95
		Depth to saturated zone	0.95			Too steep for surface application	0.68
						Restricted permeability	0.50
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Depth to saturated zone	0.95			Depth to saturated zone	0.95
MsD: Murrill-----	100	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
MsF: Murrill-----	100	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
MuC: Murrill-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuD: Murrill-----	100	Too acid	0.91			Too acid	0.91
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
Oa: Orrville-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Flooding	0.60
		Depth to saturated zone	1.00			Too acid	0.07
		Too acid	0.07				
Holly-----	5	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Ob: Orrville-----	45	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Flooding	0.60
		Depth to saturated zone	1.00			Too acid	0.07
		Too acid	0.07				
Lobdell-----	40	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	0.68
		Seepage	1.00	Flooding	0.60	Flooding	0.60
		Depth to saturated zone	0.68			Too acid	0.07
		Too acid	0.07				
Other Soils-----	10	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Holly-----	5	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
ShB: Shouns-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	0.88	Too steep for surface application	0.92
		Too acid	0.67			Too acid	0.67
		Too steep for surface application	0.06			Too steep for sprinkler application	0.06
ShC: Shouns-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.67			Too acid	0.67
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
ShD: Shouns-----	100	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.67			Too acid	0.67

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
StC: Shouns-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.67			Too acid	0.67
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
StD: Shouns-----	100	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.67			Too acid	0.67
TtB: Tilsit-----	100	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.50	Depth to bedrock	1.00
		Depth to bedrock	1.00	Too acid	0.14	Too steep for surface application	0.68
TtC: Tilsit-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too acid	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
Tv: Tygart Variant-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00			Low adsorption	1.00
		Seepage	1.00				
Purdy-----	5	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
U1: Udorthents-----	100	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
U2: Udorthents-----	100	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
U3: Udorthents-----	95	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Wet Minesoil-----	5	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
U4: Udorthents-----	95	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Wet Minesoil-----	5	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Ud: Psammments-----	50	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Udifluvents-----	50	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
UeC: Urban Land-----	45	Not rated		Not rated		Not rated	
Other Soils-----	30	Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00			Too steep for sprinkler application	1.00
Ernest-----	25	Not rated		Not rated		Not rated	
UfD: Urban Land-----	40	Not rated		Not rated		Not rated	
Frederick-----	30	Not rated		Not rated		Not rated	
Other Soils-----	30	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00 1.00
UgE: Urban Land-----	40	Not rated		Not rated		Not rated	
Other Soils-----	25	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00 1.00
Gilpin-----	20	Not rated		Not rated		Not rated	
Berks-----	15	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ULC:							
Urban Land-----	45	Not rated		Not rated		Not rated	
Other Soils-----	30	Very limited Too steep for surface application Low adsorption	1.00  1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00  1.00
Lily-----	25	Not rated		Not rated		Not rated	
UmD:							
Urban Land-----	45	Not rated		Not rated		Not rated	
Other Soils-----	30	Very limited Too steep for surface application Low adsorption	1.00  1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00  1.00
Murrill-----	25	Not rated		Not rated		Not rated	
Uo:							
Urban Land-----	40	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Other Soils-----	25	Very limited Too steep for surface application Low adsorption	1.00  1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00  1.00
Orrville-----	20	Not rated		Not rated		Not rated	
Lobdell-----	15	Not rated		Not rated		Not rated	
W: Water-----	100	Very limited Too steep for surface application Low adsorption	1.00  1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application Too steep for sprinkler application	1.00  1.00
WeC: Westmoreland-----	100	Very limited Low adsorption Seepage	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Too steep for surface application Depth to bedrock Too acid	1.00 1.00 0.91	Restricted permeability	1.00	Too steep for sprinkler application Depth to bedrock Too acid	1.00  1.00 0.91
WeD: Westmoreland-----	100	Very limited Too steep for surface application Low adsorption	1.00  1.00	Very limited Slope  Depth to bedrock	1.00  1.00	Very limited Low adsorption	1.00
						Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeF: Westmoreland-----	100	Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Depth to bedrock	1.00			Depth to bedrock	1.00
		Too acid	0.91			Too acid	0.91
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Depth to bedrock	1.00			Depth to bedrock	1.00
		Too acid	0.91			Too acid	0.91